

## Refine Search

### Search Results -

Term	Documents
SWITCH	954398
SWITCHES	524526
INTEGRAT\$	0
INTEGRAT	92
INTEGRATA	6
INTEGRATABEL	1
INTEGRATABIE	1
INTEGRATABILITY	268
INTEGRATABILITY-THE	1
INTEGRABILY	3
INTEGRATABLE	3270
(L20 AND INTEGRAT\$ NEAR SWITCH ).PGPB,USPT.	1

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L22

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Tuesday, November 20, 2007   [Purge Queries](#)   [Printable Copy](#)   [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

DB=PGPB,USPT; PLUR=YES; OP=ADJ

L22   L20 and integrat\$ near switch

1   L22

<u>L21</u>	L20 and steer\$ near state	0	<u>L21</u>
<u>L20</u>	L18 and steer\$ and state adj. machine	89	<u>L20</u>
<u>L19</u>	L18 and steer\$ near state near machine	0	<u>L19</u>
<u>L18</u>	I/O near processor	5916	<u>L18</u>
<u>L17</u>	L14 and port near integrat\$	1	<u>L17</u>
<u>L16</u>	L14 and integrat\$ near switch\$	0	<u>L16</u>
<u>L15</u>	L14 and IC	2	<u>L15</u>
<u>L14</u>	L11 and generic near ports	22	<u>L14</u>
<u>L13</u>	L11 and integrat\$ near switch\$	0	<u>L13</u>
<u>L12</u>	L11 and IC adj switch	2	<u>L12</u>
<u>L11</u>	crossbar and steering adj state adj machine	22	<u>L11</u>
<u>L10</u>	L9 and ports	1	<u>L10</u>
<u>L9</u>	L8 and I/O	1	<u>L9</u>
<u>L8</u>	L7 and processor	2	<u>L8</u>
<u>L7</u>	L6 and generic\$	2	<u>L7</u>
<u>L6</u>	L5 and IC near switch	2	<u>L6</u>
<u>L5</u>	steer\$ adj state near machine	28	<u>L5</u>
<u>L4</u>	L3 and generic near ports	0	<u>L4</u>
<u>L3</u>	L2 and output\$ near processor and crossbar	4	<u>L3</u>
<u>L2</u>	370/360.ccls.	718	<u>L2</u>
<u>L1</u>	370/360.pn.	0	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
STATE	2051634
STATES	737792
MACHINE	1053577
MACHINES	496172
(38 AND (STATE ADJ MACHINE)).PGPB,USPT.	22
(L38 AND STATE ADJ MACHINE ).PGPB,USPT.	22

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L39

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Tuesday, November 20, 2007   
 [Purge Queries](#)   
 [Printable Copy](#)   
 [Create Case](#)

#### Set Name Query

side by side

DB=PGPB,USPT; PLUR=YES; OP=ADJ

#### Hit Count Set Name

result set

<u>L39</u>	L38 and state adj machine	22	<u>L39</u>
<u>L38</u>	L28 and steering and crossbar	22	<u>L38</u>
<u>L37</u>	L36 and crossbar	0	<u>L37</u>
<u>L36</u>	IOP and swith\$	7	<u>L36</u>
<u>L35</u>	L34 and generic near ports	3	<u>L35</u>
<u>L34</u>	L33 and generic	3	<u>L34</u>
<u>L33</u>	L32 and switch	3	<u>L33</u>
<u>L32</u>	L30 and integrat\$	3	<u>L32</u>
<u>L31</u>	L30 and integrat\$ near switch\$	0	<u>L31</u>

<u>L30</u>	L29 and input near output	22	<u>L30</u>
<u>L29</u>	L28 and steer\$ and state adj machine	22	<u>L29</u>
<u>L28</u>	fabric adj control\$ and firmware near programmed	31	<u>L28</u>
<u>L27</u>	L25 and input/output near processor	2	<u>L27</u>
<u>L26</u>	L25 and input/output adj processor	2	<u>L26</u>
<u>L25</u>	L23 and processor	22	<u>L25</u>
<u>L24</u>	L23 and integrated	3	<u>L24</u>
<u>L23</u>	L14 and switch\$	22	<u>L23</u>
<u>L22</u>	L20 and integrat\$ near switch	1	<u>L22</u>
<u>L21</u>	L20 and steer\$ near state	0	<u>L21</u>
<u>L20</u>	L18 and steer\$ and state adj machine	89	<u>L20</u>
<u>L19</u>	L18 and steer\$ near state near machine	0	<u>L19</u>
<u>L18</u>	I/O near processor	5916	<u>L18</u>
<u>L17</u>	L14 and port near integrat\$	1	<u>L17</u>
<u>L16</u>	L14 and integrat\$ near switch\$	0	<u>L16</u>
<u>L15</u>	L14 and IC	2	<u>L15</u>
<u>L14</u>	L11 and generic near ports	22	<u>L14</u>
<u>L13</u>	L11 and integrat\$ near switch\$	0	<u>L13</u>
<u>L12</u>	L11 and IC adj switch	2	<u>L12</u>
<u>L11</u>	crossbar and steering adj state adj machine	22	<u>L11</u>
<u>L10</u>	L9 and ports	1	<u>L10</u>
<u>L9</u>	L8 and I/O	1	<u>L9</u>
<u>L8</u>	L7 and processor	2	<u>L8</u>
<u>L7</u>	L6 and generic\$	2	<u>L7</u>
<u>L6</u>	L5 and IC near switch	2	<u>L6</u>
<u>L5</u>	steer\$ adj state near machine	28	<u>L5</u>
<u>L4</u>	L3 and generic near ports	0	<u>L4</u>
<u>L3</u>	L2 and output\$ near processor and crossbar	4	<u>L3</u>
<u>L2</u>	370/360.ccls.	718	<u>L2</u>
<u>L1</u>	370/360.pn.	0	<u>L1</u>

END OF SEARCH HISTORY